



## Main

Range	Thalassa
Product name	Thalassa PLM landscape
Device short name	PLM
Enclosure type	Multi-purpose
Category	Compact enclosure
Nominal height	33.5 in (852 mm)
Nominal width	41.6 in (1056 mm)
Nominal depth	13.8 in (350 mm)
Enclosure mounting	Wall mounted
Installation direction	Horizontal
Device composition	1 body 1 door 1 lock
Body type	Built-in canopy, on lateral side One piece moulded with notches in the rear
Door type	Solid
Door opening side	Down
Lock type	4 points lock, handle with 5 mm double bar insert

## Complementary

Number of locks	1
Mounting plate description	Without mounting plate
Accessibility for operation	Front
Removable parts	Door by cut hinges
Material	Polyester reinforced with fibreglass
Color	Gray RAL 7035)
Standards	NEMA classification 13 IEC 62208 NEMA classification 4X
Product Certifications	UL[RETURN]BV
Electrical Insulation Class	Class II

## Environment

IP degree of protection	IP66 IEC 60529
IK degree of protection	IK10 IEC 62262
Fire resistance	1760 °F (960 °C) IEC 62208
Ambient Air Temperature for Operation	-40...176 °F (-40...80 °C)

## Ordering and shipping details

Category	US10ES180034
Discount Schedule	0ES1
GTIN	3606481085252
Returnability	No
Country of origin	ES

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.8 in (2.0 cm)
Package 1 Width	0.4 in (1.0 cm)
Package 1 Length	0.8 in (2.0 cm)
Package 1 Weight	0.4 oz (10.0 g)
Unit Type of Package 2	PAM
Number of Units in Package 2	4
Package 2 Height	47.2 in (120 cm)
Package 2 Width	39.4 in (100 cm)
Package 2 Length	65.0 in (165 cm)
Package 2 Weight	299.8 lb(US) (136 kg)

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations