

Product data sheet

Specifications



central support for mount.side or hor.plate or upright or 19"chas.in 2doors PLA

NSYSBPLA

Product availability: Stock - Normally stocked in distribution facility

Price*: 69.13 USD

Main

Kategorie	Mounting accessory
Product Or Component Type	Support
Range Compatibility	Thalassa Thalassa PLA
Anwendung	Multi-purpose
Nennmaße Des Gehäuses	-
Mounting Location	2-door enclosure
Device Composition	2 support
Material	steel

Complementary

Fixing Mode	By fixing element - intermediate reinforcement rail
Height	1.57 in (40 mm)
Width	8.66 in (220 mm)
Depth	6.30 in (160 mm)

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
Gtin	3606480194580
Returnability	No
Country Of Origin	ES

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations