

Product data sheet

Specifications



Folding support tray - 600 mm enclosure - 30 kg load



NSYSDT6

Product availability: Stock - Normally stocked in distribution facility

Price*: 369.18 USD

Main

| | |
|-----------------------------------|--|
| Range | Spacial |
| Product Or Component Type | Folding support tray |
| Application | Door accessories |
| Nominal Dimensions Of The Housing | - W: 23.62 in (600 mm) |
| Mounting Location | Door cross rail On door reinforcement frame |
| Mounting Support | Direct mounting |
| Range Compatibility | Spacial SF, SM, SFX and SMX enclosures |
| Device Composition | 1 x fixing element 1 x folding support tray |
| Quantity Per Set | Set of 1 |

Complementary

| | |
|-----------------|---|
| Material | Door steel |
| Color | Door Gray RAL 7035) |
| Surface Finish | Painted |
| Fixing Mode | Direct fixing - door |
| Adjustment | Adjustable in height, steps of 25 mm door |
| Operating Angle | 45 ° 60 ° 75 ° 90 ° |
| Maximum Load | 30 kg |
| Height | 1.97 in (50 mm) |
| Width | Nominal 12.80 in (325 mm) |
| Depth | 13.78 in (350 mm) |
| Thickness | 0.06 in (1.5 mm) |

Ordering and shipping details

| | |
|-------------------|-------------------------------------|
| Category | 80036-ENCLOSURE SYSTEMS ACCESSORIES |
| Discount Schedule | ES1 |
| Gtin | 3606485131504 |
| Returnability | No |
| Country Of Origin | ES |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

| | |
|------------------------------|--------------------------|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 1.97 in (5.0 cm) |
| Package 1 Width | 14.37 in (36.5 cm) |
| Package 1 Length | 18.11 in (46.0 cm) |
| Package 1 Weight | 3.42 lb(US) (1.55 kg) |
| Unit Type Of Package 2 | PAL |
| Number Of Units In Package 2 | 80 |
| Package 2 Height | 39.37 in (100.0 cm) |
| Package 2 Width | 47.24 in (120.0 cm) |
| Package 2 Length | 31.50 in (80.0 cm) |
| Package 2 Weight | 573.20 lb(US) (260.0 kg) |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information.

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations