Product data sheet

Specifications





Folding support tray - 800 mm enclosure - 30 kg load

NSYSDT8

Product availability: Stock - Normally stocked in distribution

facility

Price*: 407.40 USD

Main

Range	Spacial
Product Or Component Type	Folding support tray
Application	Door accessories
Nominal Dimensions Of The Housing	-
Mounting Location	Door cross rail On door reinforcement frame
Mounting Support	Direct mounting
Range Compatibility	Spacial SF, SM, SFX and SMX enclosures
Device Composition	1 x fixing element 1 x folding support tray
Quantity Per Set	Set of 1

Complementary

Material	Door steel
Color	Door Gray RAL 7035)
Surface Finish	Painted
Fixing Mode	Direct fixing - door
Adjustment	Adjustable in height, steps of 25 mm door
Operating Angle	60 °
	45 °
	90 °
	75 °
Maximum Load	30 kg
Width	Nominal 12.80 in (325 mm)
Depth	13.78 in (350 mm)
Thickness	0.06 in (1.5 mm)

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
Gtin	3606485131511
Returnability	No
Country Of Origin	ES

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.73 in (4.4 cm)
Package 1 Width	14.17 in (36.0 cm)
Package 1 Length	26.14 in (66.4 cm)
Package 1 Weight	9.57 lb(US) (4.343 kg)
Unit Type Of Package 2	PAM
Number Of Units In Package 2	80
Package 2 Height	47.24 in (120 cm)
Package 2 Width	39.37 in (100 cm)
Package 2 Length	35.43 in (90 cm)
Package 2 Weight	707.68 lb(US) (321 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations