

Product data sheet

Specifications



Spacial SF double transparent doors - 2200x1200 mm

NSYSFD22122DT

Product availability: Stock - Normally stocked in distribution facility

Price*: 2,059.02 USD

Main

| | |
|------------------------------------|---|
| Range | Spacial |
| Accessory / Separate Part Category | Enclosure accessory |
| Product Or Component Type | Door |
| Application | Multi-purpose |
| For Enclosure Nominal Dimensions | - |
| Mounting Location | Front |
| Range Compatibility | Spacial Spacial SF |
| Device Composition | 1 lock with handle and 5 mm double bar insert 1 locking bar system 4 points 2 door 1 blocking system 8 hinges |
| Quantity Per Set | Set of 1 |

Complementary

| | |
|-------------------|--|
| Material | Door Securit glass Door sheet steel |
| Color | Gray RAL 7035) |
| Surface Finish | Epoxy-polyester powder |
| Lock Type | Lock 5 mm double bar |
| Number Of Locks | 1 |
| Door Type | External transparent |
| Door Opening Side | Reversible 120 °) |
| Height | Nominal 86.61 in (2200 mm) |
| Width | Nominal 47.24 in (1200 mm) |

Ordering and shipping details

| | |
|-------------------|-------------------------------------|
| Category | 80035-ENCLOSURE SYSTEMS FLOOR MOUNT |
| Discount Schedule | ES1 |
| Gtin | 3606485119762 |
| Returnability | No |
| Country Of Origin | ES |

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|--------------------------|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 3.74 in (9.5 cm) |
| Package 1 Width | 25.20 in (64.0 cm) |
| Package 1 Length | 86.61 in (220.0 cm) |
| Package 1 Weight | 88.18 lb(US) (40.0 kg) |
| Unit Type Of Package 2 | PAL |
| Number Of Units In Package 2 | 8 |
| Package 2 Height | 35.04 in (89.0 cm) |
| Package 2 Width | 89.76 in (228.0 cm) |
| Package 2 Length | 47.24 in (120.0 cm) |
| Package 2 Weight | 751.78 lb(US) (341.0 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

RoHS Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu RoHS Directive Pro-active compliance (Product out of EU RoHS legal scope)

China RoHS Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information.

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations