Product data sheet

Specifications

Netshelter RX 42U Enclosure 800mm x 1200mm

NSYSFRSEDC208120

Product availability: Stock - Normally stocked in distribution facility

Price*: 3,026.93 USD

Overview

Presentation	NEMA 12 rated assembled enclosure for OT, IT and networking applications. Form factor to easily roll through doorways. Configurable to work as a ventilated enclosure with the addition of Climasys ventilation components. Includes: Front and rear solid doors with handle and insert key, side panels, 19" uprights, bottom plinth, grounding and gland plate at the bottom panel. Ventilation system not included. Can be shipped pre-integrated with UPS, PDU, monitoring components and internal equipment up to 350 lbs
Lead Time	Usually Ships within 4 Weeks

Physical

Height	82.68 in (2100 mm)
Width	31.50 in (800 mm)
Depth	47.24 in (1200 mm)
Number Of Rack Unit	42U
Net Weight	469.59 lb(US) (213 kg)
Mounting Mode	Rack-mounted
Mounting Preference	No preference
Maximum Mounting Depth	41.42 in (1052 mm)
Max Cto Ship Weight	524.70 lb(US) (238 kg)
Permanent Permissible Load	881.85 lb(US) (400 kg) static

Ordering and shipping details

Category	US10ES180035
Discount Schedule	0ES1
Gtin	3606481008794
Returnability	Yes
Country Of Origin	ES

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	89.76 in (228.0 cm)
Package 1 Width	37.01 in (94.0 cm)
Package 1 Length	53.54 in (136 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Weight   546.75 lb(US) (248.0 kg)

Life Is On | Schneider Electric

Package 1 Weight   546.75 lb(US) (248.0 kg)

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium 〉

Guide to assess a product's sustainability 〉

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope