

Product data sheet

Specifications



set of 4 Spacial SM M12 lifting eyebolt - galvanized cast steel

NSYSMEB

Product availability: Stock - Normally stocked in distribution facility

Price*: 19.50 USD

Main

Bereich	Spacial
Kategorie	Lifting accessory
Product Or Component Type	Lifting bracket Lifting eye
Anwendung	Multi-purpose
Mounting Location	Enclosure top
Range Compatibility	Spacial Spacial SF Spacial Spacial SM
Device Composition	4 eyebolt 4 fixing nuts
Quantity Per Set	Set of 1

Complementary

Material	cast steel
Surface Finish	Galvanized
Fixing Mode	Screwed
Permanent Permissible Load	749.57 lb(US) (340 kg) for 1 eyebolt vertical direction
Height	2.42 in (61.5 mm)
Width	2.13 in (54 mm)
Depth	1.02 in (26 mm)
Diameter	1.14 in (29 mm)
Iso Thread	M12

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
Gtin	3606480146596
Returnability	Yes
Country Of Origin	ES

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Height	2.36 in (6.0 cm)
Package 1 Width	3.54 in (9.0 cm)
Package 1 Length	5.71 in (14.5 cm)
Package 1 Weight	2.33 lb(US) (1.058 kg)
Unit Type Of Package 2	PAM
Number Of Units In Package 2	240
Package 2 Height	17.72 in (45.0 cm)
Package 2 Width	39.37 in (100.0 cm)
Package 2 Length	47.24 in (120.0 cm)
Package 2 Weight	610.68 lb(US) (277.0 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations