Product data sheet

Specifications





Plastic foot made of black polyamide. Packaging unit: 20 pieces

NSYSPC

Product availability: Stock - Normally stocked in distribution facility
Price*: 0.58 USD

Main

Cable management accessory
Support
Cable duct
Thalassa Thalassa PLA Thalassa Thalassa PLS Thalassa Thalassa PLM Spacial Spacial SBM Spacial Spacial S3D Spacial Spacial S3CM Spacial Spacial CRN
Multi-purpose
DIN rail Telequick mounting plate
1 clip support
Set of 20

Complementary

•	
Material	PA (polyamide)
Fixing Mode	Clipped
Height	1.57 in (40 mm)
Width	0.94 in (24 mm)
Depth	0.59 in (15 mm)
Diameter	0.00 in (0 mm)

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
Gtin	3606480184475
Returnability	No
Country Of Origin	FR

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 1 Height	0.98 in (2.5 cm)
Package 1 Width	5.51 in (14.0 cm)
Package 1 Length	6.69 in (17.0 cm)
Package 1 Weight	0.14 oz (4.0 g)
Unit Type Of Package 2	BAG
Number Of Units In Package 2	20
Package 2 Height	2.36 in (6.0 cm)
Package 2 Width	3.94 in (10.0 cm)
Package 2 Length	6.30 in (16.0 cm)
Package 2 Weight	2.86 oz (81.0 g)
Unit Type Of Package 3	S02
Number Of Units In Package 3	500
Package 3 Height	5.91 in (15.0 cm)
Package 3 Width	11.81 in (30.0 cm)
Package 3 Length	15.75 in (40.0 cm)
Package 3 Weight	5.15 lb(US) (2.336 kg)

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations