# Product data sheet

Specifications

## Plastic window with hinged transparent cover, L78xW95xD25mm.

NSYVA274MA

**Product availability: Stock - Normally stocked in distribution facility**

## Price*: 7.64 USD

## Main

| | |
|---|---|
| Range | Thalassa |
| Accessory / Separate Part Category | Installation accessory |
| Product Or Component Type | Window |
| Application | Multi-purpose |
| For Enclosure Nominal Dimensions | - |
| Range Compatibility | Thalassa Thalassa PLA<br>Thalassa Thalassa PLM<br>Spacial Spacial S3D<br>Spacial Spacial CRN<br>Thalassa Thalassa PLS |
| Accessory / Separate Part Destination | For modular device |
| Mounting Location | Installation on door or panel |
| Device Composition | 1 complete window |
| Material | Transparent polycarbonate |
| Lock Type | Lock without key<br>Possibility to seal it |
| Total Number Of 18 Mm Modules | 4 |

## Complementary

| | |
|---|---|
| Height | 3.07 in (78 mm) |
| Width | 3.74 in (95 mm) |
| Depth | 0.98 in (25 mm) |

## Ordering and shipping details

| | |
|---|---|
| Category | 80036-ENCLOSURE SYSTEMS ACCESSORIES |
| Discount Schedule | ES1 |
| Gtin | 3606480185311 |
| Returnability | No |
| Country Of Origin | ES |

## Packing Units

| | |
|---|---|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Life Is On | Schneider Electric

| | |
|---|---|
| **Package 1 Height** | 5.51 in (14.0 cm) |
| **Package 1 Width** | 5.51 in (14.0 cm) |
| **Package 1 Length** | 1.77 in (4.5 cm) |
| **Package 1 Weight** | 2.57 oz (73.0 g) |
| **Unit Type Of Package 2** | PAM |
| **Number Of Units In Package 2** | 1250 |
| **Package 2 Height** | 47.24 in (120 cm) |
| **Package 2 Width** | 39.37 in (100 cm) |
| **Package 2 Length** | 39.37 in (100 cm) |
| **Package 2 Weight** | 286.60 lb(US) (130 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

# Sustainability ![Green Premium™]

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-$CO_2$ products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

## Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information          Yes

## Certifications & Standards

**Reach Regulation**                    REACh Declaration

**Eu Rohs Directive**                   Pro-active compliance (Product out of EU RoHS legal scope)

                                        EU RoHS Declaration

**China Rohs Regulation**               China RoHS declaration

                                        Pro-active China RoHS declaration (out of China RoHS legal scope)

**Environmental Disclosure**            Product Environmental Profile

**Circularity Profile**                 No need of specific recycling operations