





Mini circuit breaker, QO, 20A, 1 pole, 120VAC, 22kA, dual function, plug on neutral, plug in mount

QO120VHPAFGF

Product availability: Stock - Normally stocked in distribution

facility

Price*: 578.00 USD

Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	20 A
Voltage Rating	120 V AC
Mounting Type	Plug-in
Number Of Poles	1P
Circuit Breaker Type	Combination ARC-fault and ground fault
Ratings	HACR rated
Electrical Connection	Pressure plate
Connections Terminals	Plug-on neutral

Complementary

Interrupt Rating	22 kA 120 V AC 50/60 Hz
Number Of Panel Spaces	1
Wire Size	AWG 14AWG 8 copper
Tightening Torque	40.71 lbf.in (4.6 N.m)
Height	4.10 in (104.14 mm)
Width	0.75 in (19.05 mm)
Depth	2.72 in (69.08 mm)
Net Weight	0.35 lb(US) (0.159 kg)

Environment

Certifications	UL Listed CSA	
Ambient Rating	104 °F (40 °C)	

Ordering and shipping details

Category	06303-QO SINGLE POLE ARC FAULT CIRCUIT BREAKER
Discount Schedule	DE2A
Gtin	785901779452
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country Of Origin US

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.81 in (9.68 cm)
Package 1 Width	1.00 in (2.54 cm)
Package 1 Length	4.19 in (10.63 cm)
Package 1 Weight	6.46 oz (183.25 g)
Unit Type Of Package 2	CAR
Number Of Units In Package 2	57
Package 2 Height	20.69 in (52.55 cm)
Package 2 Width	3.82 in (9.7 cm)
Package 2 Length	13.62 in (34.6 cm)
Package 2 Weight	23.44 lb(US) (10.63 kg)



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free




Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Dimensions



ALL DIMENSIONS ARE APPROXIMATE. REFER TO TECHNICAL DRAWINGS AND DOCUMENTATION FOR COMPLETE INFORMATION.