# Product data sheet

Specifications

SQUARE D

Green



# 200A 120/240V 34 INCH LOADCENTRE & QO CIRCUIT BREAKERS RETAIL PAKAGE

QP40200

#### Price\*: 742.00 USD

#### Main

Number Of Circuit Breakers	40 standard 80 tandem
Included Accessory	Door
Total Number Of Wires	3
Included Circuit Breakers	10 - 1 15 A QO
	3 - 2 15 A QO
	1 - 2 30 A QO
	1 - 2 40 A QO
Cover Type	Combination flush/surface cover

## Complementary

Load Center Type	Main breaker
Awg Gauge	AWG 4250 kcmil
Height	34.02 in (864 mm)
Width	14.25 in (362 mm)
Depth	3.74 in (95 mm)
Line Rated Current	200 A
Phase	1 phase
[Ue] Rated Operational Voltage	120/240 V AC
Ambient Air Temperature For Operation	23 °F (-5 °C) 104 °F (40 °C)

## Environment

Standards	CSA	
Tightening Torque	20.36 lbf.in (2.3 N.m) (AWG 14AWG 10)	
	20.36 lbf.in (2.3 N.m) (AWG 12AWG10)	
	24.78 lbf.in (2.8 N.m) (AWG 8)	
	35.40 lbf.in (4 N.m) (AWG 6AWG 4)	
	24.78 lbf.in (2.8 N.m) (AWG 14AWG 12)	
	24.78 lbf.in (2.8 N.m) (AWG 12AWG10)	
	(AWG 12AWG10)	
	(AWG 6AWG 4)	
	(AWG 14AWG 12)	

## Ordering and shipping details

Category	00167-DE3A MISC
Discount Schedule	DE3A

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Gtin	047569721366
Returnability	Yes
Country Of Origin	US

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.50 in (13.97 cm)
Package 1 Width	16.10 in (40.894 cm)
Package 1 Length	36.30 in (92.202 cm)
Package 1 Weight	41.54 lb(US) (18.842 kg)
Unit Type Of Package 2	PAL
Number Of Units In Package 2	18
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	36.00 in (91.44 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	748.39 lb(US) (339.465 kg)

# Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov