





200A 120/240V 41 INCH LOADCENTRE & QO CIRCUIT BREAKERS RETAIL PAKAGE

QP60200

Price*: 787.00 USD

Main

Number Of Circuit Breakers	80 tandem 60 standard
Included Accessory	Door
Total Number Of Wires	3
Included Circuit Breakers	10 - 1 15 A QO
	3 - 2 15 A QO
	1 - 2 30 A QO
	1 - 2 40 A QO
Cover Type	Oraclization flowly or free

Complementary

Load Center Type	Main breaker
Awg Gauge	AWG 4300 kcmil
Height	41.26 in (1048 mm)
Width	14.25 in (362 mm)
Depth	3.74 in (95 mm)
Line Rated Current	200 A
Phase	1 phase
[Ue] Rated Operational Voltage	120/240 V AC
Ambient Air Temperature For Operation	23 °F (-5 °C) 104 °F (40 °C)

Environment

Standards	CSA	
Tightening Torque	20.36 lbf.in (2.3 N.m) (AWG 14AWG 10)	
	20.36 lbf.in (2.3 N.m) (AWG 12AWG10)	
	24.78 lbf.in (2.8 N.m) (AWG 8)	
	35.40 lbf.in (4 N.m) (AWG 6AWG 4)	
	24.78 lbf.in (2.8 N.m) (AWG 14AWG 12)	
	24.78 lbf.in (2.8 N.m) (AWG 12AWG10)	
	(AWG 14AWG 10)	
	(AWG 8)	
	(AWG 14AWG 12)	

Ordering and shipping details

Category	00167-DE3A MISC
Discount Schedule	DE3A

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Gtin	047569721427
Returnability	Yes
Country Of Origin	US

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.51 in (14.0 cm)
Package 1 Width	16.10 in (40.9 cm)
Package 1 Length	43.50 in (110.5 cm)
Package 1 Weight	48.61 lb(US) (22.049 kg)
Unit Type Of Package 2	PAL
Number Of Units In Package 2	14
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	36.00 in (91.44 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	681.15 lb(US) (308.965 kg)



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
9	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations