Product data sheet

Specifications





APC Replacement Battery Cartridge #32

RBC32

Overview

Lead Time

Usually in Stock

Main

Product Or Component Type	Replacement battery cartridge
Battery Type	Lead-Acid battery
Provided Equipment	All required connectors Battery recycling guide Reusable packaging Installation guide

Batteries & Runtime

Battery Placement	Internal Battery
Battery Blocks Per String	2
Battery Slots Empty	0
Included Battery Modules	0
Device Mounting	Enclosed battery cabinet
Battery Voltage	24 V
Rbc Quantity	1

Physical

•	
Color	Charcoal
Height	7.76 in (19.7 cm)
Width	5.87 in (14.9 cm)
Depth	2.52 in (6.4 cm)
Net Weight	11.75 lb(US) (5.33 kg)
Mounting Mode	Not rack-mountable

Output

Battery Capacity

7.0 Ah

Environmental

Ambient Air Temperature For Operation	32104 °F (040 °C)
Operating Altitude	050000 ft
Relative Humidity	095 %

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Ambient Air Temperature For Storage	32104 °F (040 °C)
Storage Altitude	010000 ft (0.003048.00 m)

Storage Relative Humidity 0...95 %

Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS
Gtin	731304219088
Returnability	No

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	12.01 in (30.5 cm)
Package 1 Width	4.02 in (10.2 cm)
Package 1 Length	9.02 in (22.9 cm)
Package 1 Weight	13.03 lb(US) (5.91 kg)

Contractual warranty

Warranty

2 years repair or replace

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov