



Load center, Homeline, 1 phase, 12 spaces, 24 circuits, 100A convertible main breaker, PoN, NEMA1, gnd bar, combo cover

VCP1024

Product availability: Stock - Normally stocked in distribution facility

Price\*: 299.00 USD

### Main

Product Type	Load Center	
Marketing Trade Name	Homeline	
Load Center Type	PoN Convertible Mains (breaker)	
Rated Current	100 A	
Number of Spaces	12	
Maximum Number of Single Pole Circuits	24	
Enclosure Rating	NEMA 1 indoor enclosure	
Cover Type	Combination flush/surface cover	
Electrical Connection	Lugs	
Provided Equipment	Circuit-breaker 1) 2P 100 A 120/240 V AC main supply ready assembled Tandem circuit breaker 5) 15 A 120/240 V AC	

### **Complementary**

Max Short Circuit Current Rating	22 kA	
Number of Phases	1 phase 3 wires	
Voltage Rating	120/240 V AC	
Wire Size	AWG 6AWG 2/0 aluminium/copper	
Ground Bar	Grounding bar included (not installed)	
Busbar Material	Tin plated aluminium: busbar	
Enclosure Material	rial Welded sheet steel	
Surface Finish	h Baked enamel Gray	
Box Number	6	
Height	17.9 in (455 mm)	
Width	14.3 in (362 mm)	
Depth	3.7 in (95 mm)	

#### **Environment**

Ambient Air Temperature for  $$23\ ^\circ\text{F}$ (-5\ ^\circ\text{C})$$  Operation

## Ordering and shipping details

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Category	US1DE3C00185	
Discount Schedule	DE3C	
GTIN	785901828495	
Returnability	Yes	
Country of origin	US	

# **Packing Units**

_		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	5.60 in (14.224 cm)	
Package 1 Width	16.10 in (40.894 cm)	
Package 1 Length	20.50 in (52.070 cm)	
Package 1 Weight	22.500 lb(US) (10.206 kg)	
Unit Type of Package 2	f Package 2 PAL	
Number of Units in Package 2	42	
Package 2 Height	leight 42.00 in (106.680 cm)	
Package 2 Width	/idth 40.00 in (101.600 cm)	
Package 2 Length	48.00 in (121.920 cm)	
Package 2 Weight	944.999 lb(US) (428.644 kg)	

# **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

How we assess product sustainability >





Transparency RoHS/REACh

## Well-being performance

<b>②</b>	Toxic Heavy Metal Free	
	Mercury Free	
<b>②</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
California Proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"