

# Product data sheet

Specifications

## remote cable, Altivar, for graphic display terminal, 1 meter



VW3A1104R10

**Product availability: Stock - Normally stocked in distribution facility**

**Price\*: 35.00 USD**

### Main

Range of Product	Altivar
accessory / separate part category	Connection accessory
accessory / separate part type	Remote cable
Product Compatibility	VW3M1701 VW3A1101
Accessory / separate part destination	Remote graphic display terminal
Range Compatibility	Altivar 61 Altistart 22 Altivar 12 Altivar 212 Altivar 71 Altivar Machine ATV340 Altivar 32 Altivar 71Q Altivar 312 Easy Altivar 610 Altivar 61Q Altivar Process ATV600 Altivar Machine ATV320 Easy Altivar 310 Altivar 312 Solar Lexium 32 Altivar Process ATV900
Cable length	3.3 ft (1 m)

### Complementary

Electrical Connection	2 male connectors
Connector Type	RJ45
Net Weight	0.11 lb(US) (0.05 kg)

### Ordering and shipping details

Category	US1CP4C22135
Discount Schedule	CP4C
GTIN	3389118070257
Returnability	Yes
Country of origin	FR

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Package 1 Height</b>	0.67 in (1.700 cm)
<b>Package 1 Width</b>	4.92 in (12.500 cm)
<b>Package 1 Length</b>	6.50 in (16.500 cm)
<b>Package 1 Weight</b>	1.940 oz (55.000 g)
<b>Unit Type of Package 2</b>	S03
<b>Number of Units in Package 2</b>	50
<b>Package 2 Height</b>	11.81 in (30.000 cm)
<b>Package 2 Width</b>	11.81 in (30.000 cm)
<b>Package 2 Length</b>	15.75 in (40.000 cm)
<b>Package 2 Weight</b>	7.505 lb(US) (3.404 kg)
<b>Unit Type of Package 3</b>	P06
<b>Number of Units in Package 3</b>	400
<b>Package 3 Height</b>	29.53 in (75.000 cm)
<b>Package 3 Width</b>	23.62 in (60.000 cm)
<b>Package 3 Length</b>	31.50 in (80.000 cm)
<b>Package 3 Weight</b>	77.673 lb(US) (35.232 kg)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------

## Sustainability

**Green Premium™** label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[How we assess product sustainability >](#)

## Well-being performance

 Reach Free Of Svhc

---

 Rohs Exemption Information Yes

---

**Reach Regulation** [REACH Declaration](#)

---

**Eu Rohs Directive** Pro-active compliance (Product out of EU RoHS legal scope)  
[EU RoHS Declaration](#)

---

**China Rohs Regulation** [China RoHS declaration](#)

---

**California Proposition 65** WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

---

Image of product / Alternate images

Alternative

---

