

# Product data sheet

## Characteristics

# XVS10BMW

Multi sound siren, white, 0...106 dB, 2 tones, 12...  
24 V DC

Product availability : Non-Stock - Not normally stocked in distribution facility

Price\* : 150.00 USD



### Main

Range of product	Harmony XVS
Product or component type	Siren
Device short name	XVS
Color	White
Signalling type	2 tones siren
[Us] rated supply voltage	12 V AC/DC 24 V AC/DC
Noise level	106 dB continuous or intermittent tone)1 m

### Complementary

Material	PC body
Net Weight	1.76 lb(US) (0.8 kg)
Marking	CE
[Uimp] rated impulse withstand voltage	0.8 kV
Current consumption	300 mA 24 V 500 mA
Clamping connection capacity	<= 1 x 1.5 mm <sup>2</sup>
Electrical connection	Cable 0.26...0.33 in (6.5...8.5 mm)
Maximum Width	4.49 in (114 mm)
Maximum Height	4.49 in (114 mm)
Maximum Depth	6.03 in (153.2 mm)

### Environment

Standards	EN/IEC 60947-1 EN/IEC 60947-5-1
Protective treatment	TC
Ambient air temperature for storage	-31...158 °F (-35...70 °C)
Ambient air temperature for operation	-22...122 °F (-30...50 °C)
Electrical shock protection class	Class II EN/IEC 61140

\* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Oct 12, 2020

IP degree of protection	IP53
-------------------------	------

### Ordering and shipping details

Category	22617 - XVC TOWER LIGHTS
Discount Schedule	XV
GTIN	00785901944744
Returnability	No
Country of origin	ID

### Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>

### Contractual warranty

Warranty	18 months
----------	-----------

Siren

Dimensions

