


# XVS96BMWN

Electronic alarm, white, NPN, mounting support  
DIN 96, 0...96 dB, 16 tones, 4 channels, 12...24  
V AC DC

Product availability : Non-Stock - Not normally stocked in distribution facility



Price\* : 414.00 USD



## Main

Range of product	Harmony XVS
Product or component type	Electronic alarm
Device short name	XVS

## Complementary

Color	White
Material	PC (polycarbonate) terminal cover PC (polycarbonate)/ABS (acrylonitrile butadiene-styrene) body
Marking	CE
Overvoltage category	Class II EN/IEC 61140
Mounting support	96 mm DIN rail
[Us] rated supply voltage	12...24 V DC
Current consumption	250 mA 12 V 292 mA 12 V 292 mA 24 V 354 mA 24 V
Clamping connection capacity	<= 1 x 1.5 mm <sup>2</sup>

## Environment

Discrete output type	NPN
Signalling type	16 tones alarm
Signalling type	0...96 dB continuous or intermittent tone)1 m
Standards	EN/IEC 60947-1 EN/IEC 60947-5-1
Protective treatment	TC

\* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Oct 12, 2020

IP degree of protection	Panel mounted IP54 EN/IEC 60529
-------------------------	---------------------------------

### Ordering and shipping details

Category	22617 - XVC TOWER LIGHTS
Discount Schedule	XV
GTIN	03606480072024
Returnability	No
Country of origin	JP

### Packing Units

Unit Type of Package 1	PCE
------------------------	-----

### Offer Sustainability

Sustainable offer status	Green Premium product
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>

### Contractual warranty

Warranty	18 months
----------	-----------

Electronic Alarm

Dimensions

