Product data sheet

Specifications

legend plate metal with i-o-ii marking

ZBYM2186

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 4.96 USD

Main

Product or Component Type	Legend plate
accessory / separate part category	Marking accessory

Complementary

Material	Metal
Device Composition	Legend plate Marked legend
Accessory / separate part destination	Ø 22 mm control or signalling unit For standard head
Range Compatibility	Harmony XB4 Harmony XB5
Legend holder size	30 x 40 mm
Marking	Black I-O-II
User Language	International

Ordering and shipping details

Category	US10CS222467
Discount Schedule	0CS2
GTIN	3606489755966
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.04 in (0.100 cm)
Package 1 Width	1.18 in (3.000 cm)
Package 1 Length	1.57 in (4.000 cm)
Package 1 Weight	0.134 oz (3.800 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	0.79 in (2.000 cm)
Package 2 Width	1.77 in (4.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Length	1.97 in (5.000 cm)
Package 2 Weight	1.446 oz (41.000 g)
Unit Type of Package 3	S01
Number of Units in Package 3	500
Package 3 Height	5.91 in (15.000 cm)
Package 3 Width	5.91 in (15.000 cm)
Package 3 Length	15.75 in (40.000 cm)
Package 3 Weight	4.960 lb(US) (2.250 kg)

Life Is On | Schneider Electric

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

How we assess product sustainability >

Eu Rohs Directive	Under investigation