

AC EDGE Rack Mount PDU Breaker 5A

3750-289 AC EDGE Breaker 5A 240V



Features

- Replacement Breaker for AC Edge 240 2N (single) - 5 Amp
- Airpax SnapPac 5A, for 1101-1073

Applications

- Power Distribution
- Industrial Automation
- Telecommunications Base Stations
- First Responder Sites
- Emergency Management Systems
- Load Expansion

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Maximum Continuous Operating Voltage (MCOV) L - N			250	Vdc
Current Rating			5	A

Mechanical Specifications

Size		
Length	2.61 in	[66.29 mm]
Width	1.56 in	[39.62 mm]
Height	0.77 in	[19.56 mm]
Weight	1 lbs	[453.59 g]
Enclosure Material and Plating	Black Plastic	

Environmental Specifications

Temperature Continuous	-40 to +85 deg C
------------------------	------------------

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[AC EDGE Rack Mount PDU Breaker 5A 3750-289](#)

AC EDGE Rack Mount PDU Breaker 5A

3750-289

AC EDGE Breaker 5A 240V

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [AC EDGE Rack Mount PDU Breaker 5A 3750-289](#)

URL: <https://www.transtector.com/ac-edge-rack-mount-pdu-breaker-5a-3750-289-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

3750-289 CAD Drawing

REVISIONS		
REV.	DESCRIPTION	DATE
A	INITIAL RELEASE	1/17/19
		APPROVED DWR

2.61 [66.2]

1.56 [39.6]

.77 [19.6]

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [] ARE MILLIMETERS

TOLERANCES:
 .X±.2 [5.08] FRACTIONS ±.132
 XX±.01 [.25] ANGLES ±1°
 XXX±.005 [.13]

ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.
 THIRD-ANGLE PROJECTION

THE INFORMATION AND DESIGN IN THIS DOCUMENT IS THE PROPERTY OF TRANSTECTOR CORPORATION. ALL RIGHTS RESERVED.

TRANSTECTOR

10701 AIRPORT ROAD, HAYDEN, ID, 83835
 PHONE: 1.208.635.6400 | 1.800.882.9110
 FAX: 1.208.955.2041
 www.transsector.com | e-mail: sales@transsector.com

SHEET 1 OF 1
 SCALE 1:1

SIZE	CAGE	DRAWN BY	PART NUMBER	REV
A	30992	HMB	3750-289	A

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.