

## DC EDGE Rack Mount PDU Breaker 25A

### 3750-301 DC EDGE Breaker 25A



#### Features

- Replacement Breaker for DC Edge II 48V (single) – 25 Amp
- Airpax SnapPac 15A, for 1101-900

#### Applications

- Power Distribution
- Industrial Automation
- Telecommunications Base Stations
- First Responder Sites
- Emergency Management Systems
- Load Expansion

#### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Branch Breaker Rating			25	A

#### Mechanical Specifications

##### Size

Length	2.49 in	[63.25 mm]
Width	2.49 in	[63.25 mm]
Height	0.75 in	[19.05 mm]
Weight	1 lbs	[453.59 g]
Enclosure Material and Plating	Black Plastic, Powder Coated Black	

#### Compliance Certifications

RoHS Compliant	Yes
----------------	-----

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:  
[DC EDGE Rack Mount PDU Breaker 25A 3750-301](#)

## DC EDGE Rack Mount PDU Breaker 25A

### **3750-301** DC EDGE Breaker 25A

---

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [DC EDGE Rack Mount PDU Breaker 25A 3750-301](#)




URL: <https://www.transtector.com/dc-edge-rack-mount-pdu-breaker-25a-3750-301-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

3750-301 CAD Drawing

REVISIONS		
REV.	DESCRIPTION	DATE
A	INITIAL RELEASE	1/17/19
		APPROVED DWR






UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [ ] ARE MILLIMETERS

TOLERANCES:  
 .X±.2 [5.08]    FRACTIONS ± 1/32  
 .XX±.01 [.25]    ANGLES ± 1°  
 .XXX±.005 [.13]

ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.  
 THIRD-ANGLE PROJECTION



THE INFORMATION AND DESIGN IN THIS DOCUMENT IS THE PROPERTY OF TRANSTECTOR CORPORATION. ALL RIGHTS RESERVED.

SHEET 1 OF 1  
SCALE 1:2

TRANSTECTOR

10701 AIRPORT ROAD, HAYDEN, ID, 83835  
 PHONE: 1.208.635.6400 | 1.800.882.9110  
 FAX: 1.208.955.2041  
 www.transtector.com | e-mail: sales@transtector.com

SIZE CAGE    DRAWN BY    PART NUMBER  
 A    30992    HMB    3750-301

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.