

Electrical Cabinet SMALL CELL BREAKER Single-phase 120 Vac 4x 15A Branches UL 489



BRKDIN-15-4 DIN-Rail Breaker 15A, 4-Pack

Features

- Breakers for SMALL CELL Series

Applications

- Small Cells
- 5G Sites
- DAS Systems
- Electrical Main Panels
- Electrical Sub-Panels
- Load Expansion

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Service Voltage		120		Vac
Maximum Continuous Operating Voltage (MCOV)				
L - N			276	Vac
SCCR (Short Circuit Current Rating)			10	kAIC
Service Current Rating			15	A
Branch Breaker Rating		4x 15A		
Breaker Type		DIN-Rail		

Compliance Certifications

UL Listed UL 489

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Electrical Cabinet SMALL CELL BREAKER Single-phase 120 Vac 4x 15A Branches UL 489 BRKDIN-15-4](#)

URL: <https://www.transtector.com/electrical-cabinet-small-cell-breaker-single-phase-brkdin-15-4-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Electrical Cabinet SMALL CELL BREAKER Single-phase 120 Vac 4x 15A Branches UL 489 BRKDIN-15-4](#)

Electrical Cabinet SMALL CELL BREAKER Single-
phase 120 Vac 4x 15A Branches UL 489


BRKDIN-15-4
DIN-Rail Breaker 15A, 4-Pack



as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

BRKDIN-15-4 CAD Drawing


REVISIONS		
REV.	DESCRIPTION	DATE
A	INITIAL RELEASE	1/17/19
		APPROVED DWR




2.79 [70.7]



4.37 [111]

.69 [17.4]



2.85 [72.5]



<p>UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [] ARE MILLIMETERS</p> <p>TOLERANCES: .X±.2 [5.08] FRACTIONS ± 1/32 XX±.01 [.25] ANGLES ± 1° XXX±.005 [.13]</p> <p>ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY. THIRD-ANGLE PROJECTION</p>		 <p>TRANSTECTOR</p> <p>10701 AIRPORT ROAD, HAYDEN, ID, 83835 PHONE: 1.208.635.6400 1.800.882.9110 FAX: 1.208.955.2041 www.transtector.com e-mail: sales@transtector.com</p>
THE INFORMATION AND DESIGN IN THIS DOCUMENT IS THE PROPERTY OF TRANSTECTOR CORPORATION. ALL RIGHTS RESERVED.	SHEET 1 OF 1 SCALE 1:2	REV A
SIZE A CAGE 30992 DRAWN BY HMB PART NUMBER BRKDIN-15-4		

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.