

## Change of packaging

Dear Madam or Sir,

The below listed articles will be supplied in a modified packaging. Please pass this product information on to your employees and, if needed, to your customers. All modifications are performed for reasons of product improvements.

### 1. Initial situation

Due to key advantages and positive experience with other product series, the attached male headers are also changed to sorted packaging.

### 2. Technical change

The new type of packaging contains tray inserts, which in turn are inserted in Weidmüller printed cardboards

Pic.1: new packaging



Pic.2: new packaging with tray



### 3. Reason for change

Benefits of sorted packaging:

- Avoidance of damage during transportation and ensure a high-quality lever
- Premium packaging without any price increase
- Standardized packaging size and thereby easier handling

### 4. Availability

- Step 1 has been started and will be done step by step
- Step 2 will be started in September 2020
- Order-No. and price per 100pcs. won't be changed
- There will be no specific stock clearance
- Previously packaged items will continue to be delivered until inventory is exhausted

## 5. Affected parts

### SC 3.81/./180F

material	material description	old packaging unit		step
		old packaging unit	new packaging unit	
2543990000	SC 3.81/02/180F 3.2AU OR BX	50	198	1
1793700000	SC 3.81/02/180F 3.2SN BK BX	50	198	2
1793790000	SC 3.81/02/180F 3.2SN GN BX	50	198	2
1943180000	SC 3.81/02/180F 3.2SN OR BX	50	198	2
2544290000	SC 3.81/2/180F 3.2AU BK BX	50	198	1
2542360000	SC 3.81/2/180F 3.2AU OR BX	50	198	1
1793710000	SC 3.81/03/180F 3.2SN BK BX	50	138	2
2569220000	SC 3.81/03/180F 3.2SN BK BX SO	50	138	2
1793800000	SC 3.81/03/180F 3.2SN GN BX	50	138	2
1943190000	SC 3.81/03/180F 3.2SN OR BX	50	138	2
2544300000	SC 3.81/3/180F 3.2AU BK BX	50	138	1
2544110000	SC 3.81/3/180F 3.2AU OR BX	50	138	1
1793720000	SC 3.81/04/180F 3.2SN BK BX	50	108	2
1793810000	SC 3.81/04/180F 3.2SN GN BX	50	108	2
1943200000	SC 3.81/04/180F 3.2SN OR BX	50	108	2
2544310000	SC 3.81/4/180F 3.2AU BK BX	50	108	1
2544120000	SC 3.81/4/180F 3.2AU OR BX	50	108	1
1793730000	SC 3.81/05/180F 3.2SN BK BX	50	84	2
1793820000	SC 3.81/05/180F 3.2SN GN BX	50	84	2
1943210000	SC 3.81/05/180F 3.2SN OR BX	50	84	2
2544320000	SC 3.81/5/180F 3.2AU BK BX	50	84	1
2544130000	SC 3.81/5/180F 3.2AU OR BX	50	84	1
1793740000	SC 3.81/06/180F 3.2SN BK BX	50	72	2
1437050000	SC 3.81/06/180F 3.2SN BL BX	50	72	2
1793830000	SC 3.81/06/180F 3.2SN GN BX	50	72	2
1943220000	SC 3.81/06/180F 3.2SN OR BX	50	72	2
1517890000	SC 3.81/06/180F 3.2SN OR BX TB	50	72	2
2544330000	SC 3.81/6/180F 3.2AU BK BX	50	72	1
2544140000	SC 3.81/6/180F 3.2AU OR BX	50	72	1
1837010000	SC 3.81/07/180F 3.2SN BK BX	50	60	2
1943230000	SC 3.81/07/180F 3.2SN OR BX	50	60	2
2544340000	SC 3.81/7/180F 3.2AU BK BX	50	60	1
2544150000	SC 3.81/7/180F 3.2AU OR BX	50	60	1
1793750000	SC 3.81/08/180F 3.2SN BK BX	50	54	1
1793840000	SC 3.81/08/180F 3.2SN GN BX	50	54	2
1943240000	SC 3.81/08/180F 3.2SN OR BX	50	54	2
2544350000	SC 3.81/8/180F 3.2AU BK BX	50	54	1
2544160000	SC 3.81/8/180F 3.2AU OR BX	50	54	1
1943470000	SC 3.81/09/180F 3.2SN BK BX	50	48	2
1943250000	SC 3.81/09/180F 3.2SN OR BX	50	48	2
2544360000	SC 3.81/9/180F 3.2AU BK BX	50	48	1
2544170000	SC 3.81/9/180F 3.2AU OR BX	50	48	1
2544370000	SC 3.81/10/180F 3.2AU BK BX	50	42	1
2544180000	SC 3.81/10/180F 3.2AU OR BX	50	42	1
1793760000	SC 3.81/10/180F 3.2SN BK BX	50	42	2

material	material description	old packaging unit		step
		old packaging unit	new packaging unit	
1793850000	SC 3.81/10/180F 3.2SN GN BX	50	42	2
1943260000	SC 3.81/10/180F 3.2SN OR BX	50	42	2
2544380000	SC 3.81/11/180F 3.2AU BK BX	50	42	1
2544190000	SC 3.81/11/180F 3.2AU OR BX	50	42	1
1943480000	SC 3.81/11/180F 3.2SN BK BX	50	42	2
1943390000	SC 3.81/11/180F 3.2SN GN BX	50	42	2
1943270000	SC 3.81/11/180F 3.2SN OR BX	50	42	2
2544390000	SC 3.81/12/180F 3.2AU BK BX	50	36	1
2544200000	SC 3.81/12/180F 3.2AU OR BX	50	36	1
1793770000	SC 3.81/12/180F 3.2SN BK BX	50	36	2
1793860000	SC 3.81/12/180F 3.2SN GN BX	50	36	2
1943280000	SC 3.81/12/180F 3.2SN OR BX	50	36	2
2544400000	SC 3.81/13/180F 3.2AU BK BX	50	36	1
2544210000	SC 3.81/13/180F 3.2AU OR BX	50	36	1
1943490000	SC 3.81/13/180F 3.2SN BK BX	50	36	2
1943290000	SC 3.81/13/180F 3.2SN OR BX	50	36	2
2544410000	SC 3.81/14/180F 3.2AU BK BX	50	30	1
2544220000	SC 3.81/14/180F 3.2AU OR BX	50	30	1
1943500000	SC 3.81/14/180F 3.2SN BK BX	50	30	2
1943300000	SC 3.81/14/180F 3.2SN OR BX	50	30	2
2544420000	SC 3.81/15/180F 3.2AU BK BX	50	30	1
2544230000	SC 3.81/15/180F 3.2AU OR BX	50	30	1
1943510000	SC 3.81/15/180F 3.2SN BK BX	50	30	2
1943310000	SC 3.81/15/180F 3.2SN OR BX	50	30	2
2544430000	SC 3.81/16/180F 3.2AU BK BX	50	24	1
2544240000	SC 3.81/16/180F 3.2AU OR BX	50	24	1
1793780000	SC 3.81/16/180F 3.2SN BK BX	50	24	2
1943320000	SC 3.81/16/180F 3.2SN OR BX	50	24	2
2544440000	SC 3.81/17/180F 3.2AU BK BX	50	24	1
2544250000	SC 3.81/17/180F 3.2AU OR BX	50	24	1
1943520000	SC 3.81/17/180F 3.2SN BK BX	50	24	2
1943330000	SC 3.81/17/180F 3.2SN OR BX	50	24	2
2544450000	SC 3.81/18/180F 3.2AU BK BX	50	24	1
2544260000	SC 3.81/18/180F 3.2AU OR BX	50	24	1
1943530000	SC 3.81/18/180F 3.2SN BK BX	50	24	2
1943340000	SC 3.81/18/180F 3.2SN OR BX	50	24	2
2544460000	SC 3.81/19/180F 3.2AU BK BX	50	24	1
2544270000	SC 3.81/19/180F 3.2AU OR BX	50	24	1
1943540000	SC 3.81/19/180F 3.2SN BK BX	50	24	2
1943350000	SC 3.81/19/180F 3.2SN OR BX	50	24	2
2544470000	SC 3.81/20/180F 3.2AU BK BX	50	18	1
2544280000	SC 3.81/20/180F 3.2AU OR BX	50	18	1
1943550000	SC 3.81/20/180F 3.2SN BK BX	50	18	2
1943360000	SC 3.81/20/180F 3.2SN OR BX	50	18	2

## SC 3.81../90F

material	material description	old packaging unit	new packaging unit	step
1793330000	SC 3.81/02/90F 3.2SN BK BX	50	198	2
1793420000	SC 3.81/02/90F 3.2SN GN BX	50	198	1
1942450000	SC 3.81/02/90F 3.2SN OR BX	50	198	2
2543290000	SC 3.81/2/90F 3.2AU BK BX	50	198	1
2542220000	SC 3.81/2/90F 3.2AU OR BX	50	198	1
1793340000	SC 3.81/03/90F 3.2SN BK BX	50	138	2
2563330000	SC 3.81/03/90F 3.2SN BK BX CO	50	138	2
2563690000	SC 3.81/03/90F 3.2SN BK BX CO	50	138	2
1793430000	SC 3.81/03/90F 3.2SN GN BX	50	138	1
1942460000	SC 3.81/03/90F 3.2SN OR BX	50	138	2
2543300000	SC 3.81/3/90F 3.2AU BK BX	50	138	1
2543110000	SC 3.81/3/90F 3.2AU OR BX	50	138	1
1793350000	SC 3.81/04/90F 3.2SN BK BX	50	108	2
1793440000	SC 3.81/04/90F 3.2SN GN BX	50	108	2
1942470000	SC 3.81/04/90F 3.2SN OR BX	50	108	2
2543310000	SC 3.81/4/90F 3.2AU BK BX	50	108	1
2543120000	SC 3.81/4/90F 3.2AU OR BX	50	108	1
1793360000	SC 3.81/05/90F 3.2SN BK BX	50	84	2
1793450000	SC 3.81/05/90F 3.2SN GN BX	50	84	2
1942480000	SC 3.81/05/90F 3.2SN OR BX	50	84	2
2543320000	SC 3.81/5/90F 3.2AU BK BX	50	84	1
2543130000	SC 3.81/5/90F 3.2AU OR BX	50	84	1
1793370000	SC 3.81/06/90F 3.2SN BK BX	50	72	2
1942490000	SC 3.81/06/90F 3.2SN OR BX	50	72	2
2543330000	SC 3.81/6/90F 3.2AU BK BX	50	72	1
2543140000	SC 3.81/6/90F 3.2AU OR BX	50	72	1
1942740000	SC 3.81/07/90F 3.2SN BK BX	50	60	2
1942500000	SC 3.81/07/90F 3.2SN OR BX	50	60	2
2543340000	SC 3.81/7/90F 3.2AU BK BX	50	60	1
2543150000	SC 3.81/7/90F 3.2AU OR BX	50	60	1
1793380000	SC 3.81/08/90F 3.2SN BK BX	50	54	1
1793470000	SC 3.81/08/90F 3.2SN GN BX	50	54	2
1942510000	SC 3.81/08/90F 3.2SN OR BX	50	54	2
2543350000	SC 3.81/8/90F 3.2AU BK BX	50	54	1
2543160000	SC 3.81/8/90F 3.2AU OR BX	50	54	1
1942520000	SC 3.81/09/90F 3.2SN OR BX	50	48	2
2543360000	SC 3.81/9/90F 3.2AU BK BX	50	48	1
2543170000	SC 3.81/9/90F 3.2AU OR BX	50	48	1
2543370000	SC 3.81/10/90F 3.2AU BK BX	50	42	1
2543180000	SC 3.81/10/90F 3.2AU OR BX	50	42	1
1793390000	SC 3.81/10/90F 3.2SN BK BX	50	42	2

material	material description	old packaging unit	new packaging unit	step
1793480000	SC 3.81/10/90F 3.2SN GN BX	50	42	2
1942530000	SC 3.81/10/90F 3.2SN OR BX	50	42	2
2543380000	SC 3.81/11/90F 3.2AU BK BX	50	42	1
2543190000	SC 3.81/11/90F 3.2AU OR BX	50	42	1
1942760000	SC 3.81/11/90F 3.2SN BK BX	50	42	2
1942540000	SC 3.81/11/90F 3.2SN OR BX	50	42	2
2543390000	SC 3.81/12/90F 3.2AU BK BX	50	36	1
2543200000	SC 3.81/12/90F 3.2AU OR BX	50	36	1
1793400000	SC 3.81/12/90F 3.2SN BK BX	50	36	2
1793490000	SC 3.81/12/90F 3.2SN GN BX	50	36	2
1942550000	SC 3.81/12/90F 3.2SN OR BX	50	36	2
2543400000	SC 3.81/13/90F 3.2AU BK BX	50	36	1
2543210000	SC 3.81/13/90F 3.2AU OR BX	50	36	1
1942560000	SC 3.81/13/90F 3.2SN OR BX	50	36	2
2543410000	SC 3.81/14/90F 3.2AU BK BX	50	30	1
2543220000	SC 3.81/14/90F 3.2AU OR BX	50	30	1
1942780000	SC 3.81/14/90F 3.2SN BK BX	50	30	2
1942570000	SC 3.81/14/90F 3.2SN OR BX	50	30	2
2543420000	SC 3.81/15/90F 3.2AU BK BX	50	30	1
2543230000	SC 3.81/15/90F 3.2AU OR BX	50	30	1
1942790000	SC 3.81/15/90F 3.2SN BK BX	50	30	2
1942580000	SC 3.81/15/90F 3.2SN OR BX	50	30	2
2543430000	SC 3.81/16/90F 3.2AU BK BX	50	24	1
2543240000	SC 3.81/16/90F 3.2AU OR BX	50	24	1
1793410000	SC 3.81/16/90F 3.2SN BK BX	50	24	2
1942590000	SC 3.81/16/90F 3.2SN OR BX	50	24	2
2543440000	SC 3.81/17/90F 3.2AU BK BX	50	24	1
2543250000	SC 3.81/17/90F 3.2AU OR BX	50	24	1
1942800000	SC 3.81/17/90F 3.2SN BK BX	50	24	2
1942600000	SC 3.81/17/90F 3.2SN OR BX	50	24	2
2543450000	SC 3.81/18/90F 3.2AU BK BX	50	24	1
2543260000	SC 3.81/18/90F 3.2AU OR BX	50	24	1
1942810000	SC 3.81/18/90F 3.2SN BK BX	50	24	2
1942610000	SC 3.81/18/90F 3.2SN OR BX	50	24	2
2543460000	SC 3.81/19/90F 3.2AU BK BX	50	24	1
2543270000	SC 3.81/19/90F 3.2AU OR BX	50	24	1
1942620000	SC 3.81/19/90F 3.2SN OR BX	50	24	2
2543470000	SC 3.81/20/90F 3.2AU BK BX	50	18	1
2543280000	SC 3.81/20/90F 3.2AU OR BX	50	18	1
1942830000	SC 3.81/20/90F 3.2SN BK BX	50	18	2
1942630000	SC 3.81/20/90F 3.2SN OR BX	50	18	2

## SC 3.81../180G

material	material description	packaging unit		
		old	new	step
1793520000	SC 3.81/02/180G 3.2SN BK BX	50	96	2
1793610000	SC 3.81/02/180G 3.2SN GN BX	50	96	2
1942840000	SC 3.81/02/180G 3.2SN OR BX	50	96	2
2543670000	SC 3.81/2/180G 3.2AU BK BX	50	96	1
2542240000	SC 3.81/2/180G 3.2AU OR BX	50	96	1
2543480000	SC 3.81/2/180G 3.2AU OR BX	50	96	1
1793530000	SC 3.81/03/180G 3.2SN BK BX	50	84	1
1793620000	SC 3.81/03/180G 3.2SN GN BX	50	84	2
1942850000	SC 3.81/03/180G 3.2SN OR BX	50	84	2
2543680000	SC 3.81/3/180G 3.2AU BK BX	50	84	1
2543490000	SC 3.81/3/180G 3.2AU OR BX	50	84	1
1793540000	SC 3.81/04/180G 3.2SN BK BX	50	66	1
1793630000	SC 3.81/04/180G 3.2SN GN BX	50	66	2
1942860000	SC 3.81/04/180G 3.2SN OR BX	50	66	2
2543690000	SC 3.81/4/180G 3.2AU BK BX	50	66	1
2543500000	SC 3.81/4/180G 3.2AU OR BX	50	66	1
1793550000	SC 3.81/05/180G 3.2SN BK BX	50	60	2
1793640000	SC 3.81/05/180G 3.2SN GN BX	50	60	2
1942870000	SC 3.81/05/180G 3.2SN OR BX	50	60	2
2543700000	SC 3.81/5/180G 3.2AU BK BX	50	60	1
2543510000	SC 3.81/5/180G 3.2AU OR BX	50	60	1
1793560000	SC 3.81/06/180G 3.2SN BK BX	50	54	1
1793650000	SC 3.81/06/180G 3.2SN GN BX	50	54	2
1942880000	SC 3.81/06/180G 3.2SN OR BX	50	54	2
2543710000	SC 3.81/6/180G 3.2AU BK BX	50	54	1
2543520000	SC 3.81/6/180G 3.2AU OR BX	50	54	1
1871490000	SC 3.81/07/180G 3.2SN BK BX	50	48	2
1871480000	SC 3.81/07/180G 3.2SN GN BX	50	48	2
1942890000	SC 3.81/07/180G 3.2SN OR BX	50	48	2
2543720000	SC 3.81/7/180G 3.2AU BK BX	50	48	1
2543530000	SC 3.81/7/180G 3.2AU OR BX	50	48	1
1793570000	SC 3.81/08/180G 3.2SN BK BX	50	42	2
1793660000	SC 3.81/08/180G 3.2SN GN BX	50	42	2
1942900000	SC 3.81/08/180G 3.2SN OR BX	50	42	2
2543730000	SC 3.81/8/180G 3.2AU BK BX	50	42	1
2543540000	SC 3.81/8/180G 3.2AU OR BX	50	42	1
1871470000	SC 3.81/09/180G 3.2SN BK BX	50	36	2
1942910000	SC 3.81/09/180G 3.2SN OR BX	50	36	2
2543750000	SC 3.81/10/180G 3.2AU BK BX	50	36	1
2543560000	SC 3.81/10/180G 3.2AU OR BX	50	36	1
1793580000	SC 3.81/10/180G 3.2SN BK BX	50	36	2
1793670000	SC 3.81/10/180G 3.2SN GN BX	50	36	2
1942920000	SC 3.81/10/180G 3.2SN OR BX	50	36	2
2543740000	SC 3.81/9/180G 3.2AU BK BX	50	36	1
2543550000	SC 3.81/9/180G 3.2AU OR BX	50	36	1

material	material description	packaging unit		
		old	new	step
2543760000	SC 3.81/11/180G 3.2AU BK BX	50	30	1
2543570000	SC 3.81/11/180G 3.2AU OR BX	50	30	1
1943100000	SC 3.81/11/180G 3.2SN BK BX	50	30	2
1943030000	SC 3.81/11/180G 3.2SN GN BX	50	30	2
1942930000	SC 3.81/11/180G 3.2SN OR BX	50	30	2
2543770000	SC 3.81/12/180G 3.2AU BK BX	50	30	1
2543580000	SC 3.81/12/180G 3.2AU OR BX	50	30	1
1793590000	SC 3.81/12/180G 3.2SN BK BX	50	30	2
1793680000	SC 3.81/12/180G 3.2SN GN BX	50	30	2
1942940000	SC 3.81/12/180G 3.2SN OR BX	50	30	2
2543780000	SC 3.81/13/180G 3.2AU BK BX	50	30	1
2543590000	SC 3.81/13/180G 3.2AU OR BX	50	30	1
1943110000	SC 3.81/13/180G 3.2SN BK BX	50	30	2
1942950000	SC 3.81/13/180G 3.2SN OR BX	50	30	2
2543790000	SC 3.81/14/180G 3.2AU BK BX	50	24	1
2543600000	SC 3.81/14/180G 3.2AU OR BX	50	24	1
1943120000	SC 3.81/14/180G 3.2SN BK BX	50	24	2
1821000000	SC 3.81/14/180G 3.2SN GN BX	50	24	2
1942960000	SC 3.81/14/180G 3.2SN OR BX	50	24	2
2543800000	SC 3.81/15/180G 3.2AU BK BX	50	24	1
2543610000	SC 3.81/15/180G 3.2AU OR BX	50	24	1
1943130000	SC 3.81/15/180G 3.2SN BK BX	50	24	2
1942970000	SC 3.81/15/180G 3.2SN OR BX	50	24	2
2543810000	SC 3.81/16/180G 3.2AU BK BX	50	24	1
2543620000	SC 3.81/16/180G 3.2AU OR BX	50	24	1
1793600000	SC 3.81/16/180G 3.2SN BK BX	50	24	2
1793690000	SC 3.81/16/180G 3.2SN GN BX	50	24	2
1942980000	SC 3.81/16/180G 3.2SN OR BX	50	24	2
2543820000	SC 3.81/17/180G 3.2AU BK BX	50	24	1
2543630000	SC 3.81/17/180G 3.2AU OR BX	50	24	1
1943140000	SC 3.81/17/180G 3.2SN BK BX	50	24	2
1942990000	SC 3.81/17/180G 3.2SN OR BX	50	24	2
2543830000	SC 3.81/18/180G 3.2AU BK BX	50	24	1
2543640000	SC 3.81/18/180G 3.2AU OR BX	50	24	1
1943150000	SC 3.81/18/180G 3.2SN BK BX	50	24	2
1943000000	SC 3.81/18/180G 3.2SN OR BX	50	24	2
2543840000	SC 3.81/19/180G 3.2AU BK BX	50	18	1
2543650000	SC 3.81/19/180G 3.2AU OR BX	50	18	1
1943160000	SC 3.81/19/180G 3.2SN BK BX	50	18	2
1943010000	SC 3.81/19/180G 3.2SN OR BX	50	18	2
2543850000	SC 3.81/20/180G 3.2AU BK BX	50	18	1
2543660000	SC 3.81/20/180G 3.2AU OR BX	50	18	1
1943170000	SC 3.81/20/180G 3.2SN BK BX	50	18	2
1943020000	SC 3.81/20/180G 3.2SN OR BX	50	18	2



## SC 3.81../180F

material	material description	old packaging unit	new packaging unit	step
1793130000	SC 3.81/02/90G 3.2SN BK BX	50	96	2
1793240000	SC 3.81/02/90G 3.2SN GN BX	50	96	1
1942020000	SC 3.81/02/90G 3.2SN OR BX	50	96	1
2542930000	SC 3.81/2/90G 3.2AU BK BX	50	96	1
2542150000	SC 3.81/2/90G 3.2AU OR BX	50	96	1
1793140000	SC 3.81/03/90G 3.2SN BK BX	50	84	2
1793250000	SC 3.81/03/90G 3.2SN GN BX	50	84	1
1942040000	SC 3.81/03/90G 3.2SN OR BX	50	84	2
2542940000	SC 3.81/3/90G 3.2AU BK BX	50	84	1
2542750000	SC 3.81/3/90G 3.2AU OR BX	50	84	1
2522680000	SC 3.81/04/90G 3.2AU BK BX	50	66	1
1793150000	SC 3.81/04/90G 3.2SN BK BX	50	66	1
1793260000	SC 3.81/04/90G 3.2SN GN BX	50	66	2
1942070000	SC 3.81/04/90G 3.2SN OR BX	50	66	2
2542760000	SC 3.81/4/90G 3.2AU OR BX	50	66	1
1793160000	SC 3.81/05/90G 3.2SN BK BX	50	60	2
1793270000	SC 3.81/05/90G 3.2SN GN BX	50	60	2
1942090000	SC 3.81/05/90G 3.2SN OR BX	50	60	2
2542950000	SC 3.81/5/90G 3.2AU BK BX	50	60	1
2542770000	SC 3.81/5/90G 3.2AU OR BX	50	60	1
1793170000	SC 3.81/06/90G 3.2SN BK BX	50	54	2
1793280000	SC 3.81/06/90G 3.2SN GN BX	50	54	2
1942100000	SC 3.81/06/90G 3.2SN OR BX	50	54	2
2542960000	SC 3.81/6/90G 3.2AU BK BX	50	54	1
2542780000	SC 3.81/6/90G 3.2AU OR BX	50	54	1
1942350000	SC 3.81/07/90G 3.2SN BK BX	50	48	2
2716250000	SC 3.81/07/90G 3.2SN BK BX TB	50	48	2
1942120000	SC 3.81/07/90G 3.2SN OR BX	50	48	2
2542970000	SC 3.81/7/90G 3.2AU BK BX	50	48	1
2542790000	SC 3.81/7/90G 3.2AU OR BX	50	48	1
1793180000	SC 3.81/08/90G 3.2SN BK BX	50	42	2
1793290000	SC 3.81/08/90G 3.2SN GN BX	50	42	2
1942130000	SC 3.81/08/90G 3.2SN OR BX	50	42	2
2542980000	SC 3.81/8/90G 3.2AU BK BX	50	42	1
2542800000	SC 3.81/8/90G 3.2AU OR BX	50	42	1
1942360000	SC 3.81/09/90G 3.2SN BK BX	50	36	2
1942270000	SC 3.81/09/90G 3.2SN GN BX	50	36	2
1942140000	SC 3.81/09/90G 3.2SN OR BX	50	36	2
2543000000	SC 3.81/10/90G 3.2AU BK BX	50	36	1
2542820000	SC 3.81/10/90G 3.2AU OR BX	50	36	1
1793190000	SC 3.81/10/90G 3.2SN BK BX	50	36	2
1793300000	SC 3.81/10/90G 3.2SN GN BX	50	36	2
1942150000	SC 3.81/10/90G 3.2SN OR BX	50	36	2
2542990000	SC 3.81/9/90G 3.2AU BK BX	50	36	1

material	material description	old packaging unit	new packaging unit	step
2542810000	SC 3.81/9/90G 3.2AU OR BX	50	36	1
2543010000	SC 3.81/11/90G 3.2AU BK BX	50	30	1
2542830000	SC 3.81/11/90G 3.2AU OR BX	50	30	1
1942370000	SC 3.81/11/90G 3.2SN BK BX	50	30	2
1942160000	SC 3.81/11/90G 3.2SN OR BX	50	30	2
2543020000	SC 3.81/12/90G 3.2AU BK BX	50	30	1
2542840000	SC 3.81/12/90G 3.2AU OR BX	50	30	1
1793200000	SC 3.81/12/90G 3.2SN BK BX	50	30	2
1793310000	SC 3.81/12/90G 3.2SN GN BX	50	30	2
1942170000	SC 3.81/12/90G 3.2SN OR BX	50	30	2
2543030000	SC 3.81/13/90G 3.2AU BK BX	50	30	1
2542850000	SC 3.81/13/90G 3.2AU OR BX	50	30	1
1942380000	SC 3.81/13/90G 3.2SN BK BX	50	30	2
1942180000	SC 3.81/13/90G 3.2SN OR BX	50	30	2
2543040000	SC 3.81/14/90G 3.2AU BK BX	50	24	1
2542860000	SC 3.81/14/90G 3.2AU OR BX	50	24	1
1942390000	SC 3.81/14/90G 3.2SN BK BX	50	24	2
1808990000	SC 3.81/14/90G 3.2SN GN BX	50	24	2
1942190000	SC 3.81/14/90G 3.2SN OR BX	50	24	2
2543050000	SC 3.81/15/90G 3.2AU BK BX	50	24	1
2542870000	SC 3.81/15/90G 3.2AU OR BX	50	24	1
1942400000	SC 3.81/15/90G 3.2SN BK BX	50	24	2
1942200000	SC 3.81/15/90G 3.2SN OR BX	50	24	2
2543060000	SC 3.81/16/90G 3.2AU BK BX	50	24	1
2542880000	SC 3.81/16/90G 3.2AU OR BX	50	24	1
1793210000	SC 3.81/16/90G 3.2SN BK BX	50	24	1
1793320000	SC 3.81/16/90G 3.2SN GN BX	50	24	2
1942210000	SC 3.81/16/90G 3.2SN OR BX	50	24	2
2543070000	SC 3.81/17/90G 3.2AU BK BX	50	24	1
2542890000	SC 3.81/17/90G 3.2AU OR BX	50	24	1
1942410000	SC 3.81/17/90G 3.2SN BK BX	50	24	2
1942220000	SC 3.81/17/90G 3.2SN OR BX	50	24	2
2543080000	SC 3.81/18/90G 3.2AU BK BX	50	24	1
2542900000	SC 3.81/18/90G 3.2AU OR BX	50	24	1
1942420000	SC 3.81/18/90G 3.2SN BK BX	50	24	2
1942230000	SC 3.81/18/90G 3.2SN OR BX	50	24	2
2543090000	SC 3.81/19/90G 3.2AU BK BX	50	18	1
2542910000	SC 3.81/19/90G 3.2AU OR BX	50	18	1
1942430000	SC 3.81/19/90G 3.2SN BK BX	50	18	2
1942240000	SC 3.81/19/90G 3.2SN OR BX	50	18	2
2543100000	SC 3.81/20/90G 3.2AU BK BX	50	18	1
2542920000	SC 3.81/20/90G 3.2AU OR BX	50	18	1
1942440000	SC 3.81/20/90G 3.2SN BK BX	50	18	2
1942250000	SC 3.81/20/90G 3.2SN OR BX	50	18	2

## SCD 3.81/./180

material	material description	old packaging unit		step
			new packaging unit	
1030260000	SCD 3.81/04/180G 3.2SN BK BX	50	132	2
1030090000	SCD 3.81/04/180G 3.2SN GN BX	50	132	2
1029920000	SCD 3.81/04/180G 3.2SN OR BX	50	132	2
1030270000	SCD 3.81/06/180G 3.2SN BK BX	50	92	2
1029940000	SCD 3.81/06/180G 3.2SN OR BX	50	92	2
1030280000	SCD 3.81/08/180G 3.2SN BK BX	50	72	2
1029950000	SCD 3.81/08/180G 3.2SN OR BX	50	72	2
1030780000	SCD 3.81/04/180F 3.2SN BK BX	50	64	2
1030440000	SCD 3.81/04/180F 3.2SN OR BX	50	64	2
1030290000	SCD 3.81/10/180G 3.2SN BK BX	50	56	2
1029960000	SCD 3.81/10/180G 3.2SN OR BX	50	56	2
1030790000	SCD 3.81/06/180F 3.2SN BK BX	50	52	2
1030450000	SCD 3.81/06/180F 3.2SN OR BX	50	52	2
1030310000	SCD 3.81/12/180G 3.2SN BK BX	50	48	2
1029970000	SCD 3.81/12/180G 3.2SN OR BX	50	48	2
1030810000	SCD 3.81/08/180F 3.2SN BK BX	50	44	2
1030460000	SCD 3.81/08/180F 3.2SN OR BX	50	44	2
1030820000	SCD 3.81/10/180F 3.2SN BK BX	50	40	2
1030470000	SCD 3.81/10/180F 3.2SN OR BX	50	40	2
1029980000	SCD 3.81/14/180G 3.2SN OR BX	50	40	2
1030830000	SCD 3.81/12/180F 3.2SN BK BX	50	36	2
1030480000	SCD 3.81/12/180F 3.2SN OR BX	50	36	2
1030340000	SCD 3.81/16/180G 3.2SN BK BX	50	36	2

material	material description	old packaging unit		step
			new packaging unit	
1029990000	SCD 3.81/16/180G 3.2SN OR BX	50	36	2
1030490000	SCD 3.81/14/180F 3.2SN OR BX	50	32	2
1030350000	SCD 3.81/18/180G 3.2SN BK BX	50	32	2
1030010000	SCD 3.81/18/180G 3.2SN OR BX	50	32	2
1030850000	SCD 3.81/16/180F 3.2SN BK BX	50	28	2
1030510000	SCD 3.81/16/180F 3.2SN OR BX	50	28	2
1030360000	SCD 3.81/20/180G 3.2SN BK BX	50	28	2
1030020000	SCD 3.81/20/180G 3.2SN OR BX	50	28	2
1030860000	SCD 3.81/18/180F 3.2SN BK BX	50	24	2
1030520000	SCD 3.81/18/180F 3.2SN OR BX	50	24	2
1030530000	SCD 3.81/20/180F 3.2SN OR BX	50	24	2
1030030000	SCD 3.81/22/180G 3.2SN OR BX	50	24	2
1030040000	SCD 3.81/24/180G 3.2SN OR BX	50	24	2
1030540000	SCD 3.81/22/180F 3.2SN OR BX	50	20	2
1030550000	SCD 3.81/24/180F 3.2SN OR BX	50	20	2
1030560000	SCD 3.81/26/180F 3.2SN OR BX	20	20	2
1030050000	SCD 3.81/26/180G 3.2SN OR BX	20	20	2
1030060000	SCD 3.81/28/180G 3.2SN OR BX	20	20	2
1030070000	SCD 3.81/30/180G 3.2SN OR BX	20	20	2
1030570000	SCD 3.81/28/180F 3.2SN OR BX	20	16	2
1030580000	SCD 3.81/30/180F 3.2SN OR BX	20	16	2
1030590000	SCD 3.81/32/180F 3.2SN OR BX	20	16	2
1030080000	SCD 3.81/32/180G 3.2SN OR BX	20	16	2

## SCD 3.81/./90

material	material description	old packaging unit	new packaging unit	step
1973100000	SCD 3.81/04/90G 3.2SN BK BX	50	132	2
1972790000	SCD 3.81/04/90G 3.2SN OR BX	50	132	2
1973110000	SCD 3.81/06/90G 3.2SN BK BX	50	92	2
1972800000	SCD 3.81/06/90G 3.2SN OR BX	50	92	2
1973120000	SCD 3.81/08/90G 3.2SN BK BX	50	72	1
1972810000	SCD 3.81/08/90G 3.2SN OR BX	50	72	2
1973580000	SCD 3.81/04/90F 3.2SN BK BX	50	64	2
1973260000	SCD 3.81/04/90F 3.2SN OR BX	50	64	2
1973130000	SCD 3.81/10/90G 3.2SN BK BX	50	56	2
1972820000	SCD 3.81/10/90G 3.2SN OR BX	50	56	2
1973590000	SCD 3.81/06/90F 3.2SN BK BX	50	52	2
1973270000	SCD 3.81/06/90F 3.2SN OR BX	50	52	2
1973140000	SCD 3.81/12/90G 3.2SN BK BX	50	48	2
1972830000	SCD 3.81/12/90G 3.2SN OR BX	50	48	2
1973600000	SCD 3.81/08/90F 3.2SN BK BX	50	44	2
1973430000	SCD 3.81/08/90F 3.2SN GN BX	50	44	2
1973280000	SCD 3.81/08/90F 3.2SN OR BX	50	44	2
1973610000	SCD 3.81/10/90F 3.2SN BK BX	50	40	2
1973290000	SCD 3.81/10/90F 3.2SN OR BX	50	40	2
1972840000	SCD 3.81/14/90G 3.2SN OR BX	50	40	2
1973620000	SCD 3.81/12/90F 3.2SN BK BX	50	36	2
1973300000	SCD 3.81/12/90F 3.2SN OR BX	50	36	2
1973160000	SCD 3.81/16/90G 3.2SN BK BX	50	36	1
1972850000	SCD 3.81/16/90G 3.2SN OR BX	50	36	2
1973310000	SCD 3.81/14/90F 3.2SN OR BX	50	32	2
1973170000	SCD 3.81/18/90G 3.2SN BK BX	50	32	2

material	material description	old packaging unit	new packaging unit	step
1972860000	SCD 3.81/18/90G 3.2SN OR BX	50	32	2
1973640000	SCD 3.81/16/90F 3.2SN BK BX	50	28	2
1973320000	SCD 3.81/16/90F 3.2SN OR BX	50	28	2
1973180000	SCD 3.81/20/90G 3.2SN BK BX	50	28	2
1973030000	SCD 3.81/20/90G 3.2SN GN BX	50	28	2
1972870000	SCD 3.81/20/90G 3.2SN OR BX	50	28	2
1973650000	SCD 3.81/18/90F 3.2SN BK BX	50	24	2
1973330000	SCD 3.81/18/90F 3.2SN OR BX	50	24	2
1973660000	SCD 3.81/20/90F 3.2SN BK BX	50	24	2
1973340000	SCD 3.81/20/90F 3.2SN OR BX	50	24	2
1973200000	SCD 3.81/22/90G 3.2SN BK BX	50	24	2
1972880000	SCD 3.81/22/90G 3.2SN OR BX	50	24	2
1973210000	SCD 3.81/24/90G 3.2SN BK BX	50	24	2
1972890000	SCD 3.81/24/90G 3.2SN OR BX	50	24	2
1973350000	SCD 3.81/22/90F 3.2SN OR BX	50	20	2
1973680000	SCD 3.81/24/90F 3.2SN BK BX	50	20	2
1973360000	SCD 3.81/24/90F 3.2SN OR BX	50	20	2
1973370000	SCD 3.81/26/90F 3.2SN OR BX	20	20	2
1972900000	SCD 3.81/26/90G 3.2SN OR BX	20	20	2
1972910000	SCD 3.81/28/90G 3.2SN OR BX	20	20	2
1972920000	SCD 3.81/30/90G 3.2SN OR BX	20	20	2
1973380000	SCD 3.81/28/90F 3.2SN OR BX	20	16	2
1973390000	SCD 3.81/30/90F 3.2SN OR BX	20	16	2
1973400000	SCD 3.81/32/90F 3.2SN OR BX	20	16	2
1973250000	SCD 3.81/32/90G 3.2SN BK BX	20	16	2
1972930000	SCD 3.81/32/90G 3.2SN OR BX	20	16	2

LM2N 5.08/./90

material	material description	old packaging unit		
		new packaging unit	step	
1768850000	LM2N 5.08/04/90 3.5SN OR BX	50	92	2
1769080000	LM2N 5.08/04/90 3.5SN BK BX	50	92	2
1916010000	LM2N 5.08/04/90 3.5SN GN BX	50	92	2
1956100000	LM2N 5.08/4/90 SNOR BEDR	50	92	2
1768860000	LM2N 5.08/06/90 3.5SN OR BX	50	64	2
1769090000	LM2N 5.08/06/90 3.5SN BK BX	50	64	2
1916020000	LM2N 5.08/06/90 3.5SN GN BX	50	64	2
2497280000	LM2N 5.08/07/90 3.5SN OR BX SO	50	56	2
1768870000	LM2N 5.08/08/90 3.5SN OR BX	50	56	2
1769100000	LM2N 5.08/08/90 3.5SN BK BX	50	56	1
1916030000	LM2N 5.08/08/90 3.5SN GN BX	50	56	2
1769110000	LM2N 5.08/10/90 3.5SN BK BX	50	44	1
1768880000	LM2N 5.08/10/90 3.5SN OR BX	50	44	2
2048610000	LM2N 5.08/10/90 3.5SN BK BX PRT	50	44	2
1769120000	LM2N 5.08/12/90 3.5SN BK BX	20	36	2
1768890000	LM2N 5.08/12/90 3.5SN OR BX	20	36	2
1434170000	LM2N 5.08/12/90 3.5SN BK BX PRT	20	36	2
1768900000	LM2N 5.08/14/90 3.5SN OR BX	20	32	2
1768910000	LM2N 5.08/16/90 3.5SN OR BX	20	28	2
1769140000	LM2N 5.08/16/90 3.5SN BK BX	20	28	2
1768920000	LM2N 5.08/18/90 3.5SN OR BX	20	24	2
2048600000	LM2N 5.08/18/90 3.5SN BK BX PRT	20	24	2
2639810000	LM2N 5.08/20/90 3.5SN BK BX PRT	20	20	2
1768930000	LM2N 5.08/20/90 3.5SN OR BX	20	20	2

material	material description	old packaging unit		
		new packaging unit	step	
1769160000	LM2N 5.08/20/90 3.5SN BK BX	20	20	2
1768940000	LM2N 5.08/22/90 3.5SN OR BX	20	20	2
1769170000	LM2N 5.08/22/90 3.5SN BK BX	20	20	2
1768950000	LM2N 5.08/24/90 3.5SN OR BX	10	16	2
2497570000	LM2N 5.08/24/90 3.5SN OR BX PRT	10	16	2
1768960000	LM2N 5.08/26/90 3.5SN OR BX	10	16	2
1768970000	LM2N 5.08/28/90 3.5SN OR BX	10	16	2
1836790000	LM2N 5.08/28/90 3.5SN OR BX PRT	10	16	2
1768980000	LM2N 5.08/30/90 3.5SN OR BX	10	12	2
1768990000	LM2N 5.08/32/90 3.5SN OR BX	10	12	2
1769000000	LM2N 5.08/34/90 3.5SN OR BX	10	12	2
2617590000	LM2N 5.08/36/90 3.5SN OR BX PRT	10	12	2
1769010000	LM2N 5.08/36/90 3.5SN OR BX	10	12	2
2498340000	LM2N 5.08/36/90 3.5SN TGY BX PRT	10	12	2
1769020000	LM2N 5.08/38/90 3.5SN OR BX	10	8	2
1769030000	LM2N 5.08/40/90 3.5SN OR BX	10	8	2
1915940000	LM2N 5.08/40/90 3.5SN BK BX	10	8	2
1956110000	LM2N 5.08/40/90 SNOR BEDR	10	8	2
1302870000	LM2N 5.08/40/90 3.5SN BK BX PRT	10	8	2
1769040000	LM2N 5.08/42/90 3.5SN OR BX	10	8	2
1769050000	LM2N 5.08/44/90 3.5SN OR BX	10	8	2
1769060000	LM2N 5.08/46/90 3.5SN OR BX	10	8	2
1769070000	LM2N 5.08/48/90 3.5SN OR BX	10	8	2
2599060000	LM2N 5.08/48/90 3.5SN OR BX INK	10	8	2

We are very sorry for all the inconveniences caused and doing everything to adjust this product change as smooth as possible without big influence on delivery times and general functions.

For further questions, please contact your sales office directly. All contacts for sales representatives are available here: [www.weidmueller.com/contact](http://www.weidmueller.com/contact)

Best regards

Product Management

Weidmüller Interface GmbH & Co. KG  
 Klingenbergstraße 16, 32758 Detmold, Germany

**Weidmüller** – Your partner in Industrial Connectivity  
 We look forward to sharing ideas with you – **Let's connect.**