

# C-ME 4/1 - Operating lever

1062645

<https://www.phoenixcontact.com/us/products/1062645>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Operating lever, for switching test disconnect terminal blocks on and off



## Commercial data

Item number	1062645
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE29
Product key	BE2ZWX
GTIN	4055626718446
Weight per piece (including packing)	0.6 g
Weight per piece (excluding packing)	0.585 g
Customs tariff number	39269097
Country of origin	PL

# C-ME 4/1 - Operating lever

1062645

<https://www.phoenixcontact.com/us/products/1062645>



## Technical data

### Product properties

Product type	Switch module
Number of positions	1

### Data management status

Article revision	02
------------------	----

### Dimensions

Width	6 mm
Height	5.2 mm
Depth	23.8 mm

### Material specifications

Color	orange (RAL 2003)
Material	PA
Flammability rating according to UL 94	V0

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

# C-ME 4/1 - Operating lever

1062645

<https://www.phoenixcontact.com/us/products/1062645>



## Classifications

### ECLASS

ECLASS-11.0	27141190
ECLASS-12.0	27141190
ECLASS-13.0	27141190

### ETIM

ETIM 9.0	EC002848
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# C-ME 4/1 - Operating lever

1062645

<https://www.phoenixcontact.com/us/products/1062645>



## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)