

NS 35/ 7,5-V2A 722MM LG - DIN rail



5404669

<https://www.phoenixcontact.com/us/products/5404669>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail, according to customer specifications, material: Stainless steel V2A, unperforated, height: 5.5 mm, width: 15 mm

Commercial data

Item number	5404669
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	BH84
Product key	BH8422
GTIN	4017918433871
Weight per piece (including packing)	240 g
Weight per piece (excluding packing)	240 g
Customs tariff number	72224050
Country of origin	DE

NS 35/ 7,5-V2A 722MM LG - DIN rail



5404669

<https://www.phoenixcontact.com/us/products/5404669>

Technical data

Product properties

Product type	DIN rail
--------------	----------

Dimensions

Width	35 mm
Height	7.5 mm
Length	722 mm
Drill hole spacing	0 mm

Material specifications

Material	Stainless steel V2A
Coating	galvanized

Standards and regulations

Tests	acc. to EN 60715
-------	------------------

NS 35/ 7,5-V2A 722MM LG - DIN rail



5404669

<https://www.phoenixcontact.com/us/products/5404669>

Classifications

ECLASS

ECLASS-11.0	27400602
ECLASS-13.0	27400602
ECLASS-12.0	27400602

ETIM

ETIM 8.0	EC001285
----------	----------

UNSPSC

UNSPSC 21.0	39121708
-------------	----------

NS 35/ 7,5-V2A 722MM LG - DIN rail



5404669

<https://www.phoenixcontact.com/us/products/5404669>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com